



Tips on Increasing Your Activity Level & Managing Fatigue

By Claire Haddad, Boston Area Support Group Leader

Know your energy level: how much energy do you have on a typical day?

Some people may have a relatively stable energy level, while others may find that it fluctuates within a range based on weather changes, allergies, diet (influences of salt, alcohol, caffeine, etc.), and even unknown factors. Some may have a “good day energy level” and a “poor day energy level.”

Understanding one’s limits is the best way to maximize your energy. **The key to feeling well on most days is to make sure your activity level does not exceed your energy level.**

Know what depletes your energy: how do you avoid the energy zappers?

Many people experience increased vestibular symptoms (e.g. dizziness, brain fog, sensation of movement, visual disturbances, etc.) when they are exposed to a lot of stimulation. These situations might include: going to the shopping mall, the grocery store, or a crowded/loud restaurant or looking at busy environments such as patterned carpets, venetian blinds, windshield

wipers, ceiling fans, passing cars, fluorescent lights, etc.

While you don’t want to isolate yourself, there are some activities that aren’t worth zapping your energy, especially if you are trying to accomplish something that is more important. For example, shopping on-line is a good alternative to going to the shopping mall. If you must go shopping, pick a time when the mall is not so busy, either when it opens in the morning, or just before closing at night.

How to conserve energy: Plan your day/week well.

It sounds simple: planning your activities is key to staying within your energy level. “Pushing through” each day beyond your energy level will likely overwhelm you and lead to increased symptoms with longer recovery times.

Determine what the best time of the day is to complete activities. Some people feel better in the mornings, when they are fresh, others feel better in the afternoons once they’ve been up for a while and have acclimated to being upright against gravity. Schedule

activities in the part of the day that you feel your strongest.

A big project might seem overwhelming. For example, cleaning your house in preparation for a house guest is something that can be done gradually. The best way to accomplish it is to break it down into segments and plan to clean one room each day. In terms of routine household management, you might share certain household chores with your partner/spouse taking on some of the more physically challenging or stimulating ones.

If you work, organize yourself the night before (lay out clothing, put car keys in a central place, make a lunch) to minimize running around in the morning and zapping your energy before you even get out the door.

How to restore energy: pull back when you've overdone it.

Even before you bump up against your energy limit, take short, restorative breaks, such as lying down and listening to music or meditating for 15 minutes. Do not watch TV – it is a stimulating activity. If you work, periodically go to the restroom just to take a “rest.”

Extra energy for a special event

Going to a very challenging/unusual event requires special planning. Never plan an activity for which you do not have an exit plan. Make certain that you can leave or quit if you become

overwhelmed; take breaks at a restroom or quiet side room.

If you have to go to a challenging event (e.g. going to the airport, a wedding, a large party, etc.), many people benefit from resting very well the day before and allowing plenty of time for recovery the following day.

In her book, *Finding Balance: Healing From a Decade of Vestibular Disorders* (www.findingbalancebook.com), author Sue Hickey provides the following advice from a nurse about negotiating crowds better: wear comfortable shoes, place your feet wide apart, hold onto a seat or the wall, close your eyes to give yourself a break, and rest before going into the challenging crowd situation (page 144).

Consider using assistive devices when out of the house or going to challenging situations. Some people use a ‘Relief Band’ to control nausea. The more effective Relief Band sends a small electrical current to the wrist (about \$170; refer to: www.seasicknessreliefband.com); the cheaper magnetic ones (\$10) may not be very effective.

How to increase your energy level: increasing tolerances and endurance

Strengthening your vestibular system may allow you to tolerate better the situations that exacerbate symptoms and deplete energy. If you have been recommended to do vestibular exercises,

try to complete them at least 3-5 times weekly to increase your tolerances and endurance. Walking is a good vestibular rehab and keeps the muscular-skeletal system strong.

Many physical therapists have started to incorporate the the Wii Fit (an interactive video game) to strengthen balance. You can begin these activities slowly to increase strength, endurance, balance, eye-foot coordination and reaction times. Tai Chi is another physical exercise that has been shown to improve balance. If you can't get to a class, Dr. Tim Hain sells a DVD for home use.

Make sure to eat a balanced diet and drink lots of water for hydration; reduce/avoid caffeine and alcohol.

How to increase your energy level/reduce stress with alternative therapies

Alternative therapies, such as acupuncture, reiki (energy healing), and cranial sacral work (done by a chiropractor), may reduce stress levels and even improve vestibular symptoms. With fewer symptoms, people generally feel an energy increase or can tolerate stimuli better. Not every therapy may have an effect and you may have to do them frequently (maybe 6-8 sessions in 2-3 months) to have a noticeable effect.

Other energy drains: vision trouble and sleep difficulties.

People with vestibular disorders often become more dependent on their eyes for balance. As a result, any problems with vision will exacerbate vestibular problems and add to the energy drain. Make sure to have your eyes checked regularly. Even if your vision is fine, you may consider seeing a behavioral optometrist if you believe vision issues are contributing to your vestibular problems. Also, any sleep difficulty (e.g. insomnia, sleep apnea etc.) that prevents a restful, restorative night sleep should be investigated.

Clarify your energy level: Keep a diary

Keep a diary for a month and document your **activity level** and your **energy level** each day. Is your activity level exceeding your energy level? What can you change? If your symptoms are particularly influenced by diet (especially Meniere's Disease), then track your diet as well.

Sue Hickey's book *Finding Balance* is the best example of someone who successfully kept a diary, not only to better manage her energy level, but to discuss her symptoms with her doctor. This resulted in better treatment and outcomes.

Explain your energy limits to friends and family

Talk to family members and friends about how you are trying to increase your activity level when possible. You may be willing to be more social, but you know

you risk disappointing them if you have to cancel on them as a result of increased symptoms. Educate your friends and family about vestibular disorders and the often unpredictable nature of symptoms. This will likely result in greater understanding and less frustration. Refer them to the Vestibular Disorders Association, vestibular.org. You can pass along many free articles from this

organization to help educate your loved ones.

© Vestibular Disorders Association

VEDA's publications are protected under copyright. For more information, see our permissions guide at vestibular.org.

This document is not intended as a substitute for professional health care.



VESTIBULAR

DISORDERS ASSOCIATION

5018 NE 15TH AVE · PORTLAND, OR 97211 · FAX: (503) 229-8064 · (800) 837-8428 · INFO@VESTIBULAR.ORG · VESTIBULAR.ORG

Did this free publication from VEDA help you?

Thanks to VEDA, vestibular disorders are becoming widely recognized, rapidly diagnosed, and effectively treated.

VEDA's mission is to inform, support, and advocate for the vestibular community.

You can help! Your tax-deductible gift makes sure that VEDA's valuable resources reach the people who can benefit from them most – vestibular patients like you!

JOIN VEDA TO DEFEAT DIZZINESSTM

By making a donation of: \$40 \$75 \$100 \$250 \$1,000 \$2,500
Senior discounts are available; contact us for details.

Members receive a Patient Toolkit, a subscription to VEDA's newsletter, *On the Level* - containing information on diagnosis, treatment, research, and coping strategies - access to VEDA's online member forum, the opportunity to join V-PALS, a pen-pals network for vestibular patients, and more!

For healthcare professionals: Individual and clinic/hospital memberships are available. Professional members receive a subscription to VEDA's newsletter, a listing in VEDA's provider directory, co-branded educational publications for their patients, access to a multi-specialty online forum, and the opportunity to publish articles on VEDA's website. For details, call (800) 837-8428, email info@vestibular.org or visit <https://vestibular.org/membership>.

MAILING INFORMATION

Name _____

Address _____ City _____

State/Province _____ Zip/Postal code _____ Country _____

Telephone _____ E-mail _____

Send my newsletter by email (Free) Send my newsletter by mail (U.S. – Free; \$25 outside the U.S.)

PAYMENT INFORMATION

Check or money order in U.S. funds, payable to VEDA (enclosed)

Visa _____

MC _____ Card number _____ Exp. date (mo./yr.) _____ CSV Code _____

Amex _____

Billing address of card (if different from mailing information)

Or visit us on our website at <https://vestibular.org> to make a secure online contribution.