



## Environmental Influences on Vestibular Disorders

By Matthew G. Crowson MD

Have you ever wondered if vestibular disorders and their symptoms are influenced by the environment? Recent work has demonstrated that the symptoms of common vestibular disorders may be linked with certain environmental factors.

### ATMOSPHERIC PRESSURE

Changes in atmospheric pressure may affect patients with Mènière's Disease.<sup>1</sup>

In a recent study, investigators from Germany asked their patients with Mènière's Disease to keep a daily vertigo diary to document symptom flares. To test a hypothesis that changes in the weather solicit symptom flares, the study's investigators logged local hourly air pressure, as well as absolute and dew point temperatures over the time period the patients recorded symptoms in their vertigo diaries.

Interestingly, they found that the mean change in air pressure differed one day prior to onset of their patients' reported Mènière's Disease symptom flare.

Specifically, the authors noted an increase in symptoms after increase in air pressure, but not after a decrease in air pressure. This result was independent of

the temperature and dew point measurements.

As there is little evidence published to date to suggest how an increase in air pressure might trigger Mènière's Disease symptoms, the proposed mechanism of atmospheric pressure change causing increased symptom flares in Mènière's Disease patients' warrants further exploration. The authors correctly point out that atmospheric pressure increases may affect other physiologic processes that result in a symptom flare, so it is possible there is an alternate, but related explanation for the phenomenon observed in this study.

The German study is not the first time the idea of air pressure has been implicated in Mènière's Disease. Externally applied positive pressure therapy has been developed and commercialized for the treatment of Mènière's Disease. Positive pressure therapy works through a device not dissimilar to an aquarium pump, which emits small pulses of pressure through the ear canal and a ventilation tube placed in the tympanic membrane. The belief is that these small pulses of pressure may alter fluid dynamics within the inner ear, resulting in decreased symptoms. The efficacy of this technology

has been questioned, however. A recent Cochrane Review of positive pressure therapy in Mènière's Disease found no evidence that it does not produce significant symptom improvement.<sup>2</sup>

## ALLERGIES

Another major environmental research theme in Mènière's Disease has explored potential connections with allergic conditions. A report from the renowned House Ear Institute in Los Angeles compared the prevalence of allergic conditions in their patient population with Mènière's Disease to those without Mènière's Disease.<sup>3</sup> In patients with Mènière's Disease, nearly 60% reported possible airborne allergies, 40% suspected food allergies, and 37% had had positive allergy tests. When the prevalence of these allergic conditions was compared to patients without Mènière's Disease, allergic conditions were significantly more prevalent in patients with Mènière's Disease.

A recent review of the evidence connecting allergic conditions and Mènière's Disease suggested that there is credible data to suggest patients with Mènière's Disease may have an enhanced allergic response.<sup>4</sup> While the authors could not conclude that there is a causal association between allergies and Mènière's Disease, they argue that practicing the principles of allergy control is a safe, relatively inexpensive adjunct to typical medical management. It remains to be seen whether the efficacy of this

approach produces real benefits for patients with Mènière's Disease.

## MIGRAINE

Sensitivity of health conditions and symptoms to weather or climate variation has been well described in qualitative patient symptom surveys.<sup>5</sup> Within the many health conditions surveyed, there is evidence to link migraine disorders and perturbations in weather patterns. Qualitative analyses of patient reported migraine triggers have noted that changes in weather precede migraine attacks second to psychosocial stress.<sup>6</sup> Migraine sufferers in northern climates have noted that migraine symptoms seem to occur more frequently in seasons with more daylight.<sup>7</sup> In a group of patients studied from the United States, migraine sufferers reported high humidity, low barometric pressure, and rainy days as having the ability to trigger migraine headaches.<sup>8</sup> There have also been objective reports of weather and climate change on migraine headache symptoms. Periods of meteorological phenomena of warm dry winds, known as the "Chinook Winds" in Canada, have correlated with a greater probability of migraine headache symptoms.<sup>9</sup>

What remains to be characterized is if weather patterns affect vestibular migraine as the pathophysiologic mechanism at play in classic migraine headaches may be shared similar. A common pathophysiologic link would suggest the triggers of migraine headache may also trigger vestibular migraine. However, further work is

needed elucidate a role between weather and environmental factors and vestibular migraine.

## CONCLUSION

While further investigation is needed to pinpoint precise mechanisms tying environmental phenomena to Ménière's Disease, curious investigators have produced thought-provoking data to suggest possible associations. The discovery of such associations may open new frontiers for therapy in the comprehensive management of this often perplexing condition.

## REFERENCES

1. Gürkov, Robert, et al. "Atmospheric Pressure and Onset of Episodes of Ménière's Disease-A Repeated Measures Study." *PloS one* 11.4 (2016): e0152714.
2. van Sonsbeek, Sanne, Bas Pullens, and Peter Paul van Benthem. "Positive pressure therapy for Ménière's disease or syndrome." *Cochrane Database Syst Rev* 3 (2015).
3. Derebery, M. Jennifer, and Karen I. Berliner. "Prevalence of allergy in Ménière's disease." *Otolaryngology--Head and Neck Surgery* 123.1 (2000): 69-75.
4. Weinreich, Heather M., and Yuri Agrawal. "The link between allergy and Ménière's disease." *Current opinion in otolaryngology & head and neck surgery* 22.3 (2014): 227.
5. von Mackensen, Sylvia, et al. "Prevalence of weather sensitivity in Germany and Canada." *International journal of biometeorology* 49.3 (2005): 156-166.
6. Robbins, Lawrence. "Precipitating factors in migraine: a retrospective review of 494 patients." *Headache: The Journal of Head and Face Pain* 34.4 (1994): 214-216.
7. Alstadhaug, K. B., R. Salvesen, and S. I. Bekkelund. "Seasonal variation in migraine." *Cephalalgia* 25.10 (2005): 811-816.
8. Prince, Patricia B., et al. "The effect of weather on headache." *Headache: The Journal of Head and Face Pain* 44.6 (2004): 596-602.
9. Piorecky, J., W. J. Becker, and M. S. Rose. "Effect of Chinook winds on the probability of migraine headache occurrence." *Headache: The Journal of Head and Face Pain* 37.3 (1997): 153-158.

---

© 2016 Vestibular Disorders Association  
VEDA's publications are protected under  
copyright. For more information, see our  
permissions guide at [vestibular.org](http://vestibular.org).

*This document is not intended as a substitute  
for professional health care.*



# VESTIBULAR

---

## DISORDERS ASSOCIATION

5018 NE 15<sup>TH</sup> AVE · PORTLAND, OR 97211 · FAX: (503) 229-8064 · (800) 837-8428 · INFO@VESTIBULAR.ORG · [VESTIBULAR.ORG](http://VESTIBULAR.ORG)

## Did this free publication from VEDA help you?

**Thanks to VEDA**, vestibular disorders are becoming widely recognized, rapidly diagnosed, and effectively treated.

**VEDA's mission** is to inform, support, and advocate for the vestibular community.

**You can help!** Your tax-deductible gift makes sure that VEDA's valuable resources reach the people who can benefit from them most – vestibular patients like you!

### JOIN VEDA TO DEFEAT DIZZINESSTM

By making a donation of:  \$40    \$75    \$100    \$250    \$1,000    \$2,500  
*Senior discounts are available; contact us for details.*

**Members receive** a Patient Toolkit, a subscription to VEDA's newsletter, *On the Level* - containing information on diagnosis, treatment, research, and coping strategies - access to VEDA's online member forum, the opportunity to join V-PALS, a pen-pals network for vestibular patients, and more!

**For healthcare professionals:** Individual and clinic/hospital memberships are available. Professional members receive a subscription to VEDA's newsletter, a listing in VEDA's provider directory, co-branded educational publications for their patients, access to a multi-specialty online forum, and the opportunity to publish articles on VEDA's website. For details, call (800) 837-8428, email [info@vestibular.org](mailto:info@vestibular.org) or visit <https://vestibular.org/membership>.

### MAILING INFORMATION

Name \_\_\_\_\_

Address \_\_\_\_\_ City \_\_\_\_\_

State/Province \_\_\_\_\_ Zip/Postal code \_\_\_\_\_ Country \_\_\_\_\_

Telephone \_\_\_\_\_ E-mail \_\_\_\_\_

Send my newsletter by email (Free)    Send my newsletter by mail (U.S. – Free; \$25 outside the U.S.)

### PAYMENT INFORMATION

Check or money order in U.S. funds, payable to VEDA (enclosed)

Visa \_\_\_\_\_

MC \_\_\_\_\_ Card number \_\_\_\_\_ Exp. date (mo./yr.) \_\_\_\_\_ CSV Code \_\_\_\_\_

Amex \_\_\_\_\_

Billing address of card (if different from mailing information)

Or visit us on our website at <https://vestibular.org> to make a secure online contribution.