

5018 NE 15th Ave · Portland, OR 97211 · fax: (503) 229-8064 · (800) 837-8428 · INFO@VESTIBULAR.ORG · <u>VESTIBULAR.ORG</u>

Possible Symptoms of Vestibular Disorders

The vestibular system includes the parts of the inner ear and the brain that help control balance and eye movements. If the system is damaged by disease, aging, or injury, vestibular disorders can result. Symptoms may include vertigo, dizziness, and imbalance, among others.

The type and severity of vestibular disorder symptoms can vary considerably, and be frightening and difficult to describe. People affected by vestibular disorders may be perceived as inattentive, lazy, overly anxious, or seeking attention. They may have trouble reading or doing simple arithmetic. Functioning in the workplace, going to school, performing routine daily tasks, or just getting out of bed in the morning may be difficult.

The following is a list of symptoms that have been reported by people with vestibular disorders. Not all symptoms will be experienced by every person, and other symptoms are possible. An inner ear disorder may be present even in the absence of obvious or severe symptoms. It is important to note that most of these individual symptoms can also be caused by other unrelated conditions.

Vertigo and dizziness

 Spinning or whirling sensation; an illusion of the self or world moving (vertigo)

- Lightheaded, floating, or rocking sensation (dizziness)
- Sensation of being heavily weighted or pulled in one direction

Balance and spatial orientation

- Imbalance, stumbling, difficulty walking straight or turning a corner
- Clumsiness or difficulty with coordination
- Difficulty maintaining straight posture; tendency to look downward to confirm the location of the ground
- Head may be held in a tilted position
- Tendency to touch or hold onto something when standing, or to touch or hold the head while seated
- Sensitivity to changes in walking surfaces or footwear
- Muscle and joint pain (due to difficulty balancing)

Vision

- Trouble focusing or tracking objects with the eyes; objects or words on a page seem to jump, bounce, float, blur, or may appear doubled.
- Discomfort from busy visual environments such as traffic, crowds, stores, and patterns
- Sensitivity to light, glare, and moving or flickering lights; fluorescent lights may be especially troublesome
- Tendency to focus on nearby objects;

increased discomfort when focusing at a distance

- Increased night blindness; difficulty walking in the dark
- Poor depth perception

Hearing

- Hearing loss; distorted or fluctuating hearing
- Tinnitus (ringing, roaring, buzzing, whooshing, or other noises in the ear)
- Sensitivity to loud noises or environments
- Sudden loud sounds may increase symptoms of vertigo, dizziness, or imbalance

Cognitive and psychological

- Difficulty concentrating and paying attention; easily distracted
- Forgetfulness and short-term memory lapses
- Confusion, disorientation, and difficulty comprehending directions or instructions
- Difficulty following speakers in conversations, meetings, etc., especially when there is background noise or movement

- Mental and/or physical fatigue out of proportion to activity
- Loss of self-reliance, self-confidence, and self-esteem
- Anxiety, panic
- Depression

Other

- Nausea or vomiting
- Sensation of being "hungover" or "seasick"
- Motion sickness
- Ear pain
- Sensation of fullness in the ears
- Headaches
- Slurred speech
- Sensitivity to pressure or temperature changes and wind currents

© Vestibular Disorders Association

VEDA's publications are protected under copyright. For more information, see our permissions guide at www.vestibular.org.

This document is not intended as a substitute for professional health care.



5018 NE 15TH AVE · PORTLAND, OR 97211 · FAX: (503) 229-8064 · (800) 837-8428 · INFO@VESTIBULAR.ORG · <u>VESTIBULAR.ORG</u>

Did this free publication from VEDA help you?

Thanks to VEDA, vestibular disorders are becoming widely recognized, rapidly diagnosed, and effectively treated.

VEDA's mission is to inform, support, and advocate for the vestibular community.

You can help! Your tax-deductible gift makes sure that VEDA's valuable resources reach the people who can benefit from them most – vestibular patients like you!

JOIN VEDA TO DEFEAT DIZZINESS™

By making a donation of: \square \$40 \square \$75 \square \$100 \square \$250 \square \$1,000 \square \$2,500 Senior discounts are available; contact us for details.

Members receive a Patient Toolkit, a subscription to VEDA's newsletter, *On the Level* - containing information on diagnosis, treatment, research, and coping strategies - access to VEDA's online member forum, the opportunity to join V-PALS, a pen-pals network for vestibular patients, and more!

For healthcare professionals: Individual and clinic/hospital memberships are available. Professional members receive a subscription to VEDA's newsletter, a listing in VEDA's provider directory, co-branded educational publications for their patients, access to a multi-specialty online forum, and the opportunity to publish articles on VEDA's website. For details, call (800) 837-8428, email <u>info@vestibular.org</u> or visit <u>https://vestibular.org/membership</u>.

MAILING INFORMATION

Address	City		
	Zip/Postal code		
Telephone	E-mail		
Send my newsle	tter by email (Free) 🗖 Send my newsl	letter by mail (U.S. – Free; \$	25 outside the U.S
		5	
Check or money	ORMATION order <u>in U.S. funds</u> , payable to VEDA		
Check or money		(enclosed)	
Check or money	order in U.S. funds, payable to VEDA	(enclosed)	
Check or money Visa	order in U.S. funds, payable to VEDA	(enclosed)	

Or visit us on our website at <u>https://vestibular.org</u> to make a secure online contribution.